



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Lawrence County are stored on microfilm Reel 1903 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

A handwritten signature in black ink, appearing to read "Trohn Enright-Randolph", with a long horizontal flourish extending to the right.

Trohn Enright-Randolph
Monroe County Surveyor

T 3 N

R 1 W

Township No 3. South of Range No 1 West of the 2nd Mer. Line.

South Boundary

- East On the South Boundary of Sec. 36. T. 3. N. R. 17 W. B. 1
 Bearings at the cor. of Sec. 35 & 36. T. 3. N. R. 17 W.
 a Logwood 7 in dia' beam N 59 W. 21 lbs dist. to a
 Walnut 7 " " N 76 E. 12 " "
 4000 Set a 1/2 suppost from which
 Logwood 7 in dia' beam S 32 W. 5 lbs dist. to a
 Elm. 8 " " " N 66 E. 28 " "
 5300 Intersect the East Boundary of the Vincennes Tract, & set
 a post cor. of Sec. 36 & 1. T. 2 & 3. N. R. 17 W. from which
 Logwood 8 in dia' beam S 24 E. 20 lbs dist. to
 Red Bud 7 " " " N 48 E. 25 " "
 Line continued by Arthur Harris from the suppost.
 on the S. Side of Sec. 36.
 4010 Intersected the 2nd Meridian 400 lbs North of the cor. of
 T. 2 & 3. N. R. 1 E. & set a post at the intersection from which
 (whose length 8010) a Elm 20 in dia' beam N 70 W. 11 lbs dist. to a
 Oak 30 " " " N 84 E. 26 " "
 This 1/2 mile run good farming land. Timber Oak, Hickory,
 Sugar & Walnut. &c.

- West On the South Boundary of Sec. 35. T. 3. N. R. 17 W.
 4000 Set a 1/2 suppost from which
 Oak 11 in dia' beam. N 70 E. 26 lbs dist. to a
 Hickory 18 " " " S 33 W. 24 " "
 8000 Set a post further cor. of Sec. 34 & 35. from which
 Oak 14 in dia' beam S 44 E. 6 lbs dist. to
 Red Bud 7 " " " N 44 W. 6 " "
 Land 1/2 rate Hill. Timber Walnut, Sugar, Hickory,
 Oak &c.

- West On the South Boundary of Sec. 34. T. 3. N. R. 17 W.
 4000 Set a 1/2 suppost from which

T. A. S. N. R. No 1 7th 2nd Mer. Ind.

80.00	<p>Elm. 8 in dia. beam S 80 W. 13 lks dist. to W Oak 7 " " S 27 E 4 " "</p> <p>Set a post further on of Sec. 33 1/3 from which W Oak 12 in dia. beam S 87 W 30 lks dist. to Mustang 4 " " S 53 E 15 " "</p> <p>Land 1st rate hill; Timber Oak, &c. East 1/2 rate hill some Oak, Gum, ash, Beech, Poplar &c.</p>
West	On the South Boundary of sec. 33. T. S. N. R. 1 W.
40.00	A B Oak 9 in dia. stands further on of 1/4 sec.
53.00	Is a good spring near the height of land
80.00	<p>Set a post further on of Sec. 32 1/3 from which W Oak 12 in dia. beam. S 66 E. 10 lks dist. to Sugar 10 " " S 58 E. 22 " "</p> <p>Land 1st rate hill; Timber W R Walnut, Timber Sugar, Hackberry.</p>
West	On the South Boundary of sec. 32 T. S. N. R. 1 W
40.00	Set a post suppost from which
80.00	<p>Hick 12 in dia. beam. S 40 E. 15 lks dist. to Do. 7 " " S 30 W. 9 " "</p> <p>Set a post further on of sec. 31 1/3 from which Sugar 11 in dia. beam S 75 W 32 lks dist. to Do. 7 " " S 22 E. 15 " "</p> <p>Land 3rd rate hill; Timber Oak, &c.</p>
West	On the South Boundary of sec. 31. T. S. N. R. 1 W
40.00	Set a post suppost from which
80.00	<p>Sugar 8 in dia. beam S 66 E. 26 lks dist. to Hick 7 " " North 30 " "</p> <p>Set a post further on of Sec. 1.6 31 1/3. S 24 1/3 N 74 W Land 1st rate hill Timber W R Walnut, Sugar,</p>

T. A. S. N. R. No 1 7th 2nd Mer. Ind.

	<p>Berry. Heavy Locust The Random fell 100 lks. I Imagined by. C. N. Johnson & Aug. Dmo Dec. 1864. Dept. Sur.</p>
	East Boundary.
North	On a Random line On the East Boundary of sec. 36. T. S. N. R. 1 W.
40.00	Set a trip post for suppost.
80.00	<p>Set a " post further on of sec. 25 1/3. Land level and rich Timber Oak, Hickory & Beech, N. Spr.</p>
North	On a Random line On the East Boundary of sec. 25. T. S. N. R. 1 W
10.54	<p>Intersect the South Boundary of Harrison's Purchase 400 lks East of the post on the Meridian & Harrison's Line on off sec. 25.</p>
South	On the line On the East Boundary of sec. 25. T. S. N. R. 1 W
10.54	<p>Set the trip post mile post on the line further on of sec. 25 1/3. from which Hickory 12 in dia. beam S 67 E. 30 lks dist. and do a W Oak 10 " " S 87 W. 20 " "</p>
South	On the line On the East Boundary of sec. 36. T. S. N. R. 1 W.
40.00	Set a post suppost from which (line line)
80.00	<p>Elm. 7 in dia. beam S 26 E. 19 lks dist. to Do. 8 " " S 86 W. 28 " "</p> <p>Set the trip post on the line further on of Sec. 203. N. R. 1 E from which W Oak 10 in dia. beam S 88 E. 17 lks dist. to Log made for " " S 66 W 26 " "</p>

T. A. 3. N. R. No 1 W. 2nd. M. Ind.

North	On the East Boundary of sec. 25 T. 3. N. R. 1 W. from the post co of sec 25 & 30 on the corner.
38.00	An Elm 10 in dia. stands further co of 70 sec.
78.00	Set a post for the cor of sec 24 & 25 from which a Log mark 7 in dia. bears N 36 W 19 lbs dist; to W Oak 20 " " S 47 W 44 " " Sands & Praty hill; flat ridges; Timber Poplar, R Walnut, Sugar, Oak &c.
North	On the East Boundary of sec. 24 T. 3. N. R. 1 W.
37.75	A Log mark 7 in dia. stands for the cor of sec 19 & 24 T. 3. N. R. 1 E & 1 W. standing on the corner line. Sands and timber same as last mile.
North	From the corner of sec. 24 & 25. On the East Boundary of sec. 24
40.00	Set a post for the corner from which Hick 10 in dia. bears S 42 W 7 lbs dist; to W Oak 8 " " N 27 W 14 " "
80.00	Set a post for the cor of sec 13 & 24 from which Beck 12 in dia. bears S 85 E 19 lbs dist; to W Oak 12 " " N 69 W 12 " " Sands good for farming; Timber Oak & Hickory Hornbeam & Spruce.
North	On the East Boundary of sec. 13 T. 3. N. R. 1 W.
76.9	Set a W Oak 12 in dia. in the line.
40.00	Set a post for the corner from which Hick 10 in dia. bears S 12 W 11 lbs dist; to Log mark 5 " " N 20 E 16 " "
72.10	Set a W Oak 30 in dia. in the line.
80.00	Set a post for the cor of sec 12 & 13 from which Log mark 8 in dia. bears N 65 E 9 lbs dist; to Hick 9 " " S 6 W 10 " " Sands Timber & My same.

T. A. 3. N. R. No 1 W. 2nd. M. Ind.

North	On the East Boundary of sec. 12 T. 3. N. R. No 1 W.
40.00	Set a post for the corner from which Log mark 6 in dia. bears S 46 E 10 lbs dist; to Hick 10 " " S 49 W 14 " "
80.00	Set a post for the cor of sec 1 & 12 from which Hick 12 in dia. bears S 5 E 21 lbs dist; to W Oak 10 " " N 66 W 11 " " Sands very bushy Timber Oak, Hickory, Granberry A number of sink holes; no water in them.
North	On the East Boundary of sec. 1 T. 3. N. R. 1 W.
40.00	Set a post for the corner from which W Oak 15 in dia. bears S 8 E 19 lbs dist; to Hick 18 " " S 62 W 25 " "
80.00	Set a post for the cor of T. 3 W. N. R. 1 E & 1 W. from which Poplar 11 in dia. bears S 38 W 13 lbs dist; to W Oak 10 " " N 18 E 33 " " Sands the same
East	On a Random line On the South Boundary of sec. 31 T. 4. N. R. 1 W.
40.00	Set a timber post for support.
80.00	" " post for the cor of sec 31 & 32. Sands good for farming My Spruce.
East	On a Random line On the South Boundary of sec. 32 T. 4. N. R. 1 W.
40.00	Set a timber post for support.
80.00	Set a timber post on the line for the cor of sec 32 & 33. Sands very bushy Timber Oak & Hickory.
East	On a Random line On the South Boundary of sec. 33

T. N. 3. N. R. N. 177 2nd Mer. Ind.

T. N. 3. N. R. N. 177 2nd Mer.	
4000	Set a trap for 2nd post.
8000	" " " post for the ca of sec 33 & 34 Under the same.
East	On a Random line On the South Bound of sec. 34 T. N. 3. N. R. 177
4000	Set a trap for 2nd post.
8000	" " " post for the ca of sec. 34 & 35. Under the same many sink holes.
East	On a Random line On the South Bound of sec. 35. T. N. 3. N. R. 177
4000	Set a trap for 2nd post.
8000	Set a trap for post for the ca of sec. 35 & 36. Under the same.
East	On a Random line On the South Bound of sec. 36. T. N. 3. N. R. 177
4000	Set a trap for 2nd post.
8000	Set a trap for the Meridian at the ca of T. N. 3. N. R. 177. Under the same.
West	On the true line On the South Bound of sec. 36. T. N. 3. N. R. 177
4000	Set the trap for 2nd post on the true line from which, Hick 10 in dia. beam. N 25 E 20 lbs dist; 7 a, Logwood 5 " " S 45 W 20 " "
8000	Set the trap for post on the true line for the ca of sec 35 & 36. from which, B Oak 18 in dia. beam. S 69 W 7 lbs dist under a Maple 10 " " S 67 E 28 " "
West	On the true line On the South Bound of sec. 35.

T. N. 3. N. R. N. 177 2nd Mer. Ind.

T. N. 4. N. R. 177	
4000	Set a trap for post from which, Hick 12 in dia. beam. West 30 lbs dist; 7 a,
8000	Set a post for the ca of sec 34 & 35 from which, Hick 18 in dia. beam. N 69 E 11 lbs dist; 7 a, B Walnut 10 " " S 62 W 7 " "
West	On the true line On the South Bound of sec. 34 T. N. 4. N. R. 177
4000	Set a trap for post from which, (true line) W Oak 24 in dia. beam. N 65 E 25 lbs dist; 7 a, B Oak 24 " " S 17 W 14 " "
8000	Set the trap for post on the true line for the ca of sec. 35 & 36 from which, Hick 12 in dia. beam. West 58 lbs dist
West	On the true line On the South Bound of sec. 35. T. N. 4. N. R. 177
4000	Set a trap for post on the true line from which, W Oak 10 in dia. beam. N 10 E 25 lbs dist; 7 a, Cum. 9 " " S 30 W 31 " "
8000	Set a trap for post on the true line from which, (ca. 32 & 33) Cum 10 in dia. beam. S 78 E 16 lbs dist; 7 a, W Oak 24 " " S 25 E 18 " "
West	On the true line On the South Bound of sec. 32. T. N. 4. N. R. 177
4000	Set a trap for post on the true line from which, Hick 10 in dia. beam. N 76 W 5 lbs dist; 7 a, Cum. 6 " " S 70 E 12 " "
8000	Set the trap for post on the true line from which, (ca. 31 & 32) Hick 12 in dia. beam. S 30 W 9 lbs dist; 7 a, Logwood 6 " " N 3 E 12 " "

T. A. H. N. R. No 172nd Mo. Ind.

West Cut the line into Cut the South Boundary of sec. 31.
T. A. H. N. R.

40.00 Set a 1/4 support from which a (line line)
W Oak. 12 in diam. bears. S 38 N. 18 the dist;

86.00 Set the cap of S. 34 N. 172 W.

Surveyed by
Arthur Kennen. D.S.

West Boundary.

North Cut the East Boundary of sec. 36. T. A. H. N. R. 2 W.

31.50 To a W Oak. 36 in diam. in the line.

40.00 A Bech. 12 in diam. stands for the cor of 74 W.

49.00 To a W Oak. 10 in diam. in the line.

80.00 Set a post for the cor of sec. 25 & 36 from which,
Sugar. 8 in diam. bears. S 30 W. 22 the dist; to,

Poplar. 7 " " N 19 W. 13. "

Land 2nd rate hill; Timber Oak, Some Poplar,
Sugar, D. T. N. Walnut, &c.

North Cut the East Boundary of sec. 25 T. A. H. N. R. 2 W.

32.50 To a W Oak. 18 in diam. in the line.

40.00 Set a 1/4 support from which,
W Walnut. 7 in diam. bears. N 11 E. 18 the dist; to,

Sassafras 7 " " N 6 W. 14 " "

73.00 To a W Oak. 36 in diam. in the line.

80.00 Set a post for the cor of sec. 24 & 25 from which,
Sugar. 12 in diam. bears N 10 E. 16 the dist; to,

W Oak. 12 " " S 77 W. 30 " "

Ground flat ridge 1st rate.

North Cut the East Boundary of sec. 24. T. A. H. N. R. 2 W.

34.28 To a W Oak. 24 in diam. stands in the line.

40.00 Set a 1/4 support from which,

T. A. H. N. R. No 174th Mo. Ind.

Poplar 30 in diam. bears. S 33 E. 21 the dist; to,

Bech. 6 " " " N 51 W. 23. "

57.65 To a W Oak. 18 in diam. stands in the line.

80.00 Set a post for the cor of sec. 13 & 24 from which,
Bech. 6 in diam. bears. N 29 W. 22 the dist; to,

Ho. 18 " " " N 63 E. 32. "

Land 2nd rate; Timber Bech. Oak, &c. Upland.

North Cut the East Boundary of sec. 13. T. A. H. N. R. 2 W.

25.60 To a Bech. 18 in diam. in the line.

40.00 Set a 1/4 support from which,

Sum. 20 in diam. bears. North 29 the dist; to,

Dogwood 6 " " " S 8 E. 18. "

63.30 To a Poplar. 40 in diam. in the line.

80.00 Set a post for the cor of sec. 12 & 13 from which,
Bech. 16 in diam. bears. N 22 W. 50 the dist; to,

W Oak. 18 " " " N 76 E. 35. "

Land 2nd & 3rd rate upland; Timber Bech. Poplar,
Oak, &c.

North Cut the East Boundary of sec. 12. T. A. H. N. R. 2 W.

37.13 To a W Oak. 14 in diam. in the line.

40.00 Set a 1/4 support from which,

Bech. 18 in diam. bears. N 81 W. 27 the dist; to,

Sugar. 12 " " " N 37 E. 28 " "

46.50 Set a sub. H. ramant. line and set a post for the cor. of

sec. 7 & 12 T. A. H. N. R. 172 W from which,

Bech. 14 in diam. bears. S 41 W. 26 the dist; to,

Sugar. 11 " " " S 3 E. 16 " "

Land 2nd rate upland; Timber Oak, Poplar, Bech.
& Sugar.

Surveyed by E. W. Supper, 1 Aug. 1880
Lept. Geo. S.

T. N. 3. N. R. N. 172nd Mer. Inda.

North Oak East Boundary of Sec. 12 T. 3. N. R. 27th from the
 E. of Sec. 12 & 13.
 40.00 Set a 7/8 sap post.
 80.00 Set a post for the cor of sec. 12 & 13 from which a
 Logwood 6 in dia. bears S 16 E. 16 lbs dist. 70,
 Buck. 10 " " " " S 6 E. 16 " "
 Sand Shilly Timber Buck Oak. Pecan, 117
 Spruce Dogwood & other trees

North Oak East Boundary of Sec. 1 T. 3. N. R. 27th
 40.00 Set a 7/8 sap post from which a
 Logwood 6 in dia. bears N 22 E. 5 lbs dist. 70,
 Immort. 6 " " " " S 10 E. 25 "
 80.00 Set a post for the cor of sec. 1 & 2 T. 3. N. R. 27th from which a
 Logwood 12 in dia. bears S 22 W. 14 lbs dist. 70,
 Oak 30 " " " " S 64 E. 29 "
 Sand the same.

Surveyed by
 Arthur Morris. D.

Subdivisions

North Return Sec. 25 & 26 T. 3. N. R. 17th
 40.00 Set a 7/8 sap post from which a
 Blechnum 8 in dia. bears N 12 E. 22 lbs dist. 70,
 Hick. " " " " S 11 E. 11 "
 80.00 Set a post for the cor of sec. 25, 26, 27 & 28 from which a
 Oak 20 in dia. bears S 39 E. 10 lbs dist. 70,
 Loc 11 " " " " N 70 W. 28 "
 Sand 2nd rate Hill Timber Oak. chiefly

East Return Sec. 25 & 26 T. 3. N. R. 17th
 40.00 A small rocky hill in dia. stands for the cor of 7th sec.

T. N. 3. N. R. N. 172nd Mer. Inda.

78.25 Set a post for the cor of sec. 25 & 26 in the Old Boundary
 from which a Elm. 7 in dia. bears S 27 E. 11 lbs dist. 70,
 Poplar 30 in dia. bears N 86 W. 22 lbs dist.
 Sand 1st rate Hill; Timber Sugar, 73 Walnut, Oak &
 East Return Sec. 25 & 26 T. 3. N. R. 17th from post in old
 Indian Boundary
 0.79 Intersect the 2nd principal Meridian. 857 lbs south of the
 mile post Set a post for the cor of sec. 25 & 26 from which a
 Buck 10 in dia. bears S 44 N. 4 lbs dist. 70,
 Logwood 6 " " " " S 40 E. 26 "
 N. 23° 18' 06".

North Return Sec. 25 & 26 T. 3. N. R. 17th
 40.00 Set a 7/8 sap post from which a
 Oak 11 in dia. bears West 19 lbs dist. 70,
 Poplar 7 " " " " S E. 10 "
 51.50 To a Oak 24 in dia. in the line.
 80.00 Set a post for the cor of Sec. 23, 24, 25 & 26 from which a
 Oak 10 in dia. bears North 9 lbs dist. 70,
 Poplar 7 " " " " S 44 W. 24 "
 Sand & timber same as above

West Return Sec. 24 & 25 T. 3. N. R. 17th
 40.00 A Logwood 6 in dia. stands for the cor of 7th sec.
 80.00 To the post cor. of sec. 23, 24, 25 & 26.
 Sand 1st rate Hill; Timber 73 Walnut, Sugar, Oak
 &c.

North Return Sec. 23 & 24 T. 3. N. R. 17th
 37.50 To a Oak 24 in dia. in the line.
 40.00 Set a 7/8 sap post from which a
 Elm 8 in dia. bears N 72 E. 25 lbs dist. 70,
 Logwood 7 " " " " S 78 W. 14 " "

I No 3 N.R. No 1 W 2nd Mer. Ind.

70.00	To a Gum 8 in dia. stands futher ca of sec. 23 & 24 with Boundary line of Harris in Purchase. Sands 2nd rate Gum Sugar, &c. Oak chiefly
North	Return Sur. 23 & 24 I. 3. N.R. 1 W.
36.00	To an Old 7/8 suppost.
40.00	Set a 7/8 suppost from which, W Oak 8 in dia. trees. S 50 W 10 lbs dist, to, N Oak 10, " " N 11 E. 24 " "
80.00	Set a post futher ca of sec. 13 & 14. 23 & 24 from which, W Oak 15 in dia. trees. S 77 E 23 lbs dist, to, W Oak 10 " " " N 2 E 10 " " Sands rolling and bushy Timber Oak & Hickory Many sink holes
East	On a Random line between Sur. 13 & 24. I. 3. N.R. 1 W.
40.00	Set a trip 7/8 suppost
81.00	Intersect the East Boundary 45 lbs North of the ca. of sec. 13 & 24. Sands same.
West	On the new line between Sur. 13 & 24. I. 3. N.R. 1 W.
40.50	Set the trip 7/8 suppost on the new line from which, W Oak 18 in dia. trees. South 8 lbs dist, to, Logwood 6 " " " N 56 E. 13 " "
81.00	To the ca. of sec. 13 & 14. 23 & 24.
North	Return Sur. 13 & 14 I. 3. N.R. 1 W.
25.00	To a 13 Oak 20 in dia. in the line.
40.00	Set a 7/8 suppost from which, Poplar 10 in dia. trees. N 85 E. 22 lbs dist, to, Cedar 8 " " " N 45 E. 22 " "
80.00	Set a post futher ca of Sur. 11 12 13 & 14 from which, W Oak 18 in dia. trees. N 23 E. 33 lbs dist, to, Hickory 10 " " " N 27 W. 27 " "

I No 3 N.R. No 1 W 2nd Mer. Ind.

	Sands the same.
East	On a Random line between Sur. 12 & 13. I. 3. N.R. 1 W.
40.00	Set a trip 7/8 suppost.
81.00	Intersect the East Boundary at the Cor. of sec. 12 & 13. Sands the same.
West	On the new line between Sur. 12 & 13. I. 3. N.R. 1 W.
40.00	Set the trip 7/8 suppost on the new line from which, W Oak 15 in dia. trees. S 74 E 9 lbs dist, to, Logwood 8 " " " N 36 W. 23 " "
80.00	To the post in the new line ca of sec. 11. 12. 13 & 14.
North	Return Sur. 11 & 12 I. 3. N.R. 1 W.
19.50	To a Birch 10 lbs in dia. comes N.E.
40.00	Set a 7/8 suppost from which, Birch 6 in dia. trees. S 49 E. 8 lbs dist, to, Do. 6 " " " N 7 E. 18 " "
80.00	Set a post futher ca of sec. 1. 2. 11. & 12 from which, Birch 8 in dia. trees. S 28 E. 14 lbs dist, to, Do. 9 " " " N 84 E. 16 " " Sands flat Timber Oak & Birch Hickory &c.
East	On a Random line between Sur. 1 & 12 I. 3. N.R. 1 W.
40.00	Set a trip 7/8 suppost.
81.00	Intersect the East Boundary 46 lbs North of the ca of Sur. 1 & 12 of Sands bushy & rolling.
West	On the new line between Sur. 1 & 12 I. 3. N.R. 1 W.
40.00	Set the trip 7/8 suppost on the new line from which, Poplar 30 in dia. trees. N 26 E. 19 lbs dist, to, Logwood 6 " " " S 57 W. 18 " "
80.00	To the ca of sec. 1. 2. 11 & 12

T. A. 3. N. R. No 177 2nd Mm. Ind.

North Return Dec 1st 1873 J. 3. N. R. 177.
 22.00 To a Poplar 20 in dia. in the tree.
 40.00 Set a post from which,
 W Oak 12 in dia. beam S 87 W. 5 lks dist. to
 Hick 16 " " N 1 E. 13 " "
 79.94 Intersub the A Bonna 142 lks East of the post on of
 Dec 35 136 J. 3. N. R. 177 and set a post for the co.,
 " 119 from which,
 Maple 10 in dia. beam S 35 E. 14 lks dist. to
 Do. 12 " " S 55 W. 19 " "
 Land flat.

North Return Dec 34 135 J. 3. N. R. 177.
 28.66 To a Hick 14 in dia. in the tree.
 40.00 Set a post from which,
 Poplar 7 in dia. beam N 75 E. 17 lks dist. to
 W Oak 7 " " S 45 W. 13 " "
 80.00 Set a post for the co. of sec. 26, 27, 34 & 35 from which,
 W Oak 14 in dia. beam S 37 W. 7 lks dist. to
 Hick 11 " " N 57 E. 33 " "
 Land 2nd rate Hill; Timber Oak & Hick

West Return Dec 26 135 J. 3. N. R. 177.
 40.00 A Logwood 8 in dia. stands at the ar. dist. in the tree
 line for the co. of 1/2 sec.
 80.00 Set the post on of sec. 26, 27, 34 & 35.

North Return Dec 26 127 J. 3. N. R. 177.
 29.00 To a Poplar 24 in dia. stands in the tree.
 40.00 A W Oak 12 in dia. stands for the co. of 1/2 sec.
 80.00 Set a post for the co. of sec. 26, 27, 34 & 35 from which,
 W Oak 14 in dia. beam N 47 E. 20 lks dist. to
 Elm 7 " " N 55 W. 11 " "

T. A. 3. N. R. No 177 2nd Mm. Ind.

Land and Timber same as above.

West Return Dec 23 126 J. 3. N. R. 177
 40.00 A Gum 12 in dia. stands at the ar. dist. in the tree line
 for the co. of 1/2 sec.
 80.00 Set the post on of sec. 22, 23, 26 & 27.
 Land 2nd rate hills Timber Oak & Logwood &c.

North Return Dec 22 123 J. 3. N. R. 177.
 21.00 To a Hick 24 in dia. in the tree.
 40.00 Set a post from which,
 Hick 11 in dia. beam N 47 W. 28 lks dist. to
 W Cherry 18 " " N 14 E. 8 " "
 32.72 To a Hick 20 in dia. in the tree.
 80.00 Set a post for the co. of sec. 14, 15, 22, & 23 from which,
 Sugar 7 in dia. beam N 24 W. 10 lks dist. to
 Logwood 7 " " S 3 E. 20 " "
 Land soil and timber same as above.

East Return Dec 14 123 J. 3. N. R. 177.
~~40.00 A W Oak 11 in dia. stands for the co. of 1/2 sec.~~
 40.00 Set a post.
 48.00 A W Oak 11 in dia. stands for the co. of Grad. Sec
 14 123 on the South B. of Harris in Purchase.
 Land 1st rate soil; Timber Mulberry, W Walnut,
 Hackberry, & Oak &c.

West Return Dec 14 123 J. 3. N. R. 177
 40.00 Set a post 1/2 sec. post
 81.18 Intersub the A 13 line 50 lks North of the post on of
 Dec 14 W 22 123
 Land very brushy Timber Oak & Hick.

North Return Dec 14 115 J. 3. N. R. 177.

T. A. 3. N. R. No 177 2nd Mer. Ind.

North Return Dec 1893 T. 3. N. R. 177.
 22.00 To a Poplar 20 in dia. in the line.
 40.00 Set a 1/2 sap post from which,
 W Oak 12 in dia. beam S 87 W. 5 lbs dist. to
 Hick 16 " " N 1 E. 13 "
 79.94 Intersub the A. Wound 142 lbs East of the post on of
 Dec 35 & 36 T. 3. N. R. 177 and set a post for the cor.
 1 1/2 from which,
 Maple 10 in dia. beam S 35 E. 14 lbs dist. to
 Do. 12 " " S 35 W. 19 "
 Land flat.

North Return Dec 34 & 35 T. 3. N. R. 177.
 28.66 To a Hick 14 in dia. in the line.
 40.00 Set a 1/2 sap post from which,
 Poplar 7 in dia. beam N 75 E. 17 lbs dist. to
 W Oak 7 " " S 45 W. 13 "
 80.00 Set a post for the cor. of sec. 26, 27, 34 & 35 from which,
 W Oak 14 in dia. beam S 37 W. 7 lbs dist. to,
 Hick 11 " " N 57 E. 33 "
 Land 2nd rate Hill; Timber Oak & Hick.

West Return Dec 26 & 27 T. 3. N. R. 177.
 40.00 A Dogwood 8 in dia. stands at the corner in the line
 for the cor. of 1/2 sec.
 80.00 Set the post on of sec. 26, 27, 34 & 35.

North Return Dec 26 & 27 T. 3. N. R. 177.
 29.00 To a Poplar 24 in dia. stands in the line.
 40.00 A W Oak 12 in dia. stands for the cor. of 1/2 sec.
 80.00 Set a post for the cor. of sec. 26, 27, 34 & 35 from which,
 W Oak 14 in dia. beam N 45 E. 20 lbs dist. to
 Elm 7 " " S 55 W. 11 "

T. A. 3. N. R. No 177 2nd Mer. Ind.

Land and Timber same as above.

West Return Dec 23 & 26 T. 3. N. R. 177.
 40.00 A Gum 12 in dia. stands at the cor. dist. in the line
 for the cor. of 1/2 sec.
 80.00 Set the post on of sec. 22, 23, 26 & 27
 Land 2nd rate hills Timber Oak & Dogwood &c.

North Return Dec 22 & 23 T. 3. N. R. 177.
 21.00 To a Hick 24 in dia. in the line.
 40.00 Set a 1/2 sap post from which,
 Hick 11 in dia. beam S 47 W. 38 lbs dist. to,
 W Cherry 18 " " N 14 E. 5 "
 52.70 To a Hick 20 in dia. in the line.
 50.00 Set a post for the cor. of sec. 14, 15, 22, & 23 from which,
 Sugar 7 in dia. beam N 24 W. 16 lbs dist. to,
 Dogwood 7 " " S 35 E. 20 "
 Land soil and timber same. Oak &c.

East Return Dec 14 & 23 T. 3. N. R. 177.
~~40.00 A W Oak 16 in dia. stands for the cor. of 1/2 sec.~~
 40.00 Set a 1/2 sap post.
 48.00 A W Oak 11 in dia. stands for the cor. of Grad Sec
 14 & 23 on the South 137 of Harris in Trencher.
 Land 1st rate soil; Timber Mulberry, W Walnut,
 Hackberry, & Oak &c.

West Return Dec 14 & 23 T. 3. N. R. 177.
 40.00 Set a 1/2 sap post.
 81.18 Intersub the A 13 line 50 lbs South of the post on of
 Dec 14 & 23
 Land very bushy Timber Oak & Hick.

North Return Dec 14 & 15 T. 3. N. R. 177.

T. A. 3. A. R. A. 177th Dnd Mr. Ind.

18.20	Set a post in Freeman's line fath. cor. of sec 24 1775 from which Mulberry 8 in dia. beam 570 N. 29 W. dist under elm 8 " " N 51 W 27 " " Sound R. rate hill Limbs 73 Walnut, Hackberry Oak 40 &c. December 30. 1806
North	Between Sec 14 & 15 T. 3. N. R. 177. v. 600
40.00	Set a post from which, Hick 10 in dia. beam 55 E. 21 W. dist. to, Oak 15 " " 846 N. 14 " "
80.00	Set a post for the cor. of sec 10 11 14 & 15 from which, W Oak 20 in dia. beam 56 E. 16 W. dist. to, Oak 20 " " 876 N. 19 " " Sound very bushy. Limbs Oak, Hick.
East	Between Sec 11 & 14 T. 3. N. R. 177. Oak Remains
19.50	In a Brook 15 the side, corner of
40.00	Set a temporary post.
80.56	Intersect the N. 15 line 35 the South of the post cor. of sec 11 12 13 & 14 Sound the same.
West	On the line between Sec 14 & 15 T. 3. N. R. 177.
40.28	Set the temporary post on the line from which, Poplar 30 in dia. beam 55 E. 28 W. dist. to, W Oak 20 " " 844 N. 17 " "
80.56	To the post cor. of sec 10 11 14 & 15
North	Between Sec 10 & 11 T. 3. N. R. 177.
40.00	Set a post from which, Hick 10 in dia. beam 55 W. 54 the dist. to, Spruce 8 " " 510 E. 45 " "
80.00	Set a post for the cor. of Sec 2, 3 10 & 11 from which, Hick 10 in dia. beam 51 E. 52 W. dist. to, W Oak 10 " " 878 N. 21 " "

T. A. 3. A. R. A. 177th Dnd Mr. Ind.

	Sound the same.
East	On a random line between Sec 24 & 11 T. 3. N. R. 177.
40.00	Set a temporary post.
81.34	Intersect the N. 15 line 27 the South of the post cor. of sec 1, 2, 11 & 12. Sound clear Limbs Oak, Poplar, Hick, White.
West	On the line between Sec 24 & 11 T. 3. N. R. 177.
40.16	Set the temporary post on the line at the ar. dist. from which W Oak 12 in dia. beam 54 W. 10 the dist. to, Oak 9 " " 833 E. 20 " "
80.30	To the cor. of sec 2, 3 10 & 11
North	Between Sec 24 & 3 T. 3. N. R. 177.
13.25	To a Oak 20 in dia. in the line.
40.00	Set a post from which, Spruce 10 in dia. beam 52 W. 11 the dist. to, Buck 18 " " 823 N. 24 " " This half mile cor. very bushy oak, Hick &c. limited land.
64.30	To a Hick 15 in dia. in the line.
81.59	Intersect the A. Boundary 75 the East of the post cor. of Sec 34 & 35 T. 4. N. R. 177 of set a post for the cor. of " " 243 from which, W Oak 20 in dia. beam 53 E. 7 the dist. to, Oak 24 " " 553 N. 13 " " Cor. good Oak, Hick & Limbs land
North	Between Sec 35 & 34 T. 3. N. R. 177.
40.00	A W Oak 16 in dia. stands for the cor. of temporary post.
80.00	Set a post for the cor. of sec 27, 28, 35 & 34 from which, Logwood 6 in dia. beam 54 E. 17 the dist. to, W Oak 20 " " 540 N. 13 " "

T. N. 3. N. R. N. 1770th Mr. Ind.

	Land 2 nd rate Timber mostly Oak.
West	Between Sec 27 134 T. 3. N. R. 177
40.00	Set a 7 th support at the an. dist. on the line from whence W Oak 18 in dia. bears N 25 E 18 lbs dist and a N Oak 11 " " " S 44 W 18 " "
80.00	Set the post on of sec 27 28 23 134
North	Between Sec 27 134 T. 3. N. R. 177
40.00	A B Oak 16 in dia. stands for the co of p. sec.
80.00	Set a post for the co of sec 21. 22. 27. 238 from which from 12 in dia. bears N 84 E 15 lbs dist; or, S 60 W 10 " " S 32 E 42 " "
	Land 2 nd rate Still; Timber Oak Chiefly
West	Between Sec 22 & 27 T. 3. N. R. 177
40.00	A W Oak 18 in dia. stands for the co of p. sec.
80.00	Set the post on of sec 21 22 27 138 Land and timber same as last mile.
North	Between Sec 21 & 22 T. 3. N. R. 177
30.70	Set a W Oak 20 in dia. in the line.
40.00	Set a 7 th support from which, W Oak 10 in dia. bears S 44 E 20 lbs dist; or, W Oak 8 " " " N 16 W 26 " "
63.24	Set a Poplar 24 in dia. in the line.
80.00	Set a post for the co. of sec 15. 16. 21 138 from which a W Oak 14 in dia. bears S 89 W 29 lbs dist; or, Sugar 10 " " " S 48 W 19 " "
	Land 2 nd rate n. p. land; Timber Oak, Sugar, & Poplar.
West	Between Sec 15 & 22 T. 3. N. R. 177

T. N. 3. N. R. N. 1770th Mr. Ind.

40.00	A Dogwood 9 in dia. stands for the co of p. sec.
80.00	Set the post on the A B line at the post co of sec 15. 16. 21 138. Timber n. p. land; Timber Sugar, Oak & Poplar, (Pink holly)
North	Between Sec 15 & 16 T. 3. N. R. 177
34.99	Set a Hickory 30 in dia. in the line.
40.00	A Poplar 30 in dia. stands for the co of p. sec.
42.00	Set the post on from the line and set a post for the co of p. sec. Sec 7 15 16. from which, W Oak 12 in dia. bears S 50 E 20 lbs dist; or, W Oak 10 " " " S 57 W 8 " "
	Land 1 st rate full Timber Oak, Sugar, & Poplar. (Pink holly)
North	Between Sec 15 & 16 T. 3. N. R. 177
40.00	Set a 7 th support from which, W Oak 20 in dia. bears N 65 W 35 lbs dist; or, W Oak 20 " " " N 78 E 37 " "
80.00	Set a post for the co of sec 9. 10. 15 116. from which, W Oak 12 in dia. bears N 55 E 21 lbs dist; or, Dogwood 6 " " " N 86 W 44 " "
	Land very brushy. Timber Oak & Hickory
East	On a Random line between Sec 10 & 15 T. 3. N. R. 177
40.00	Set a 7 th support post.
81.00	Set the post on the A B line. 20 lbs South of the post on of sec 10. 11. 14 & 15. Land the same.
West	On the same line between Sec 10 & 15 T. 3. N. R. 177
40.50	Set the temp. 7 th support at the an. dist. on the line from whence from 8 in dia. bears S 40 E 12 lbs dist;
81.00	Set the co of sec 9. 10. 15 116.
North	Between Sec 9 & 10 T. 3. N. R. 177

T. N. 3. N. R. N. 17. 2nd Mer. Ind.

40.00	Set a post from which, Red Oak 20 in air here. S 83 W. 14 the dist; to, Loc. 24 " " " A 13 E. 28 " "
69.40	To a W Oak. 21 in air in the line.
80.00	Set a post for the cor of Sec. 16. 17. 20 & 21 from which, W Oak 12 in air here. S 2 E. 30 the dist; to, Red Oak. 24 " " S 25 E. 41 " " Sands 1st rate hill; Limb Holes; Limb Sugar, Beak & Oak.
West	Between Sec 16 & 21. T. 3. N. R. 17.
40.00	Set a post from which, W Oak 21 in air here. S 80 E. 24 the dist; to, Sugar. 12 " " S 80 W. 20 " "
80.00	To the first cor of Sec. 16. 17. 20 & 21. Sands 1st & 2nd rate; Beak & Oak Hill.
North	Between Sec 16 & 17. T. 3. N. R. 17.
37.60	To a Hick 24 in air in the line
40.00	Set a post from which, Sugar. 12 in air here. S 33 W. 32 the dist; to, Loc. 14 " " A 87 E. 33 " "
61.00	To a Poplar. 30 in air in the line.
72.00	Intersect the South Boundary of Harrison's purchase or Stramon's line and set a post for the cor of Grad. Sec. 16 & 17 from which, W Oak. 6 in air here. S 38 E. 32 the dist; to, Beak. 6 " " S 37 W. 35 " " Sands 2nd rate upland; Limb Beak, Sugar, &c.
North	Between Sec 16 & 17. T. 3. N. R. 17.
40.00	To the cor.
80.00	Set a post in the line for the cor of Sec. 8. 9. 16 & 17 from

T. N. 3. N. R. N. 17. 2nd Mer. Ind.

	which, Poplar. 10 in air here. A 8 E. 36 the dist; to, Sugar. 12 " " S 67 W. 41 " " Sands nothing Limb Oak, Hick & Poplar.
East	On a Random line between Sec 9 & 16. T. 3. N. R. 17.
40.00	Set a temporary post.
81.25	Intersect the N. 15 line. 8 lbs South of the post cor of Sec. 9. 10. 15 & 16. Sands the same.
West	On the line between Sec 9 & 16. T. 3. N. R. 17.
40.60	Set the temporary post on the line at the cor of Sec. from which, W Oak. 12 in air here. East. 64 the dist;
81.25	To the post cor of Sec. 8. 9. 16 & 17.
North	Between Sec 8 & 9. T. 3. N. R. 17.
40.00	Set a post from which, W Oak. 20 in air here. S 31 W. 14 the dist; to, Sugar. 6 " " A 67 E. 17 " "
80.00	Set a post for the cor of Sec. 4. 5. 8 & 9 from which, Elm. 8 in air here. S 3 E. 11 the dist; to, W Oak 12 " " North 21 " " Sands the same.
East	On a Random line between Sec 4 & 9. T. 3. N. R. 17.
40.00	Set a temporary post.
80.26	Intersect the N. 15 line 15 lbs South of the cor of Sec. 3. 4. 7 & 16. Sands the same.
West	On the line between Sec 4 & 9. T. 3. N. R. 17.
40.15	Set the temporary post on the line at the cor of Sec. from which, W Oak 30 in air here. S 80 W. 16 the dist; and a Walnut. 12 " " A 65 E. 12 " "
80.26	To the cor of Sec. 4. 5. 8 & 9.

T. N. 3 N. R. N. 177 2nd Mer. Ind.

North	Between Jul 11 45. T. 3. N. R. 177.
40.00	Set a post from which, Oak 24 in dia. here. N 61 E. 20 lbs dist, to, Poplar 30 " " S 31 W 32 " "
81.00	Set out the N boundary 15 lbs East. of the post on of Jul 32 43. T. 4. N. R. 177 and set a post on 4 45 from which, Oak 10 in dia. here. S 70 E. 3 lbs dist, to, Oak 30 " " " S 19 W 18 " "
	Land very good for farming; Timber Hick Oak & Poplar.
North	Between Jul 31 43. T. 3. N. R. 177.
28.00	To a Poplar 12 in dia. in the line.
40.00	Set a post from which, Sugar 12 in dia. here. S 44 W. 28 lbs dist, to, Oak 12 " " " S 44 E. 33 " "
49.00	To a Honey Locust 18 in dia. in the line.
80.00	Set a post from the corner of Jul 29. 30. 31 43. from which, Logwood 7 in dia. here. S 63 W. 15 lbs dist, to, Hick 7 " " " S 45 E. 32 " "
	Land 1st rate hill; Timber Sugar, Walnut, Oak, honey. Cherry, &c.
West	Between Jul 29 43. T. 3. N. R. 177.
40.00	Set a post from which, Oak 12 in dia. here. N 44 W. 20 lbs dist, to, Logwood 7 " " " S 4 E. 9 " "
80.00	Set a post from the corner of Jul 29. 30. 31 43. Land 2nd rate Hill Timber same as above.
West	Between Jul 31 43. T. 3. N. R. 177.
40.00	Set a post from which, Oak 6 in dia. here. N 40 W. 20 lbs dist, to, Logwood 8 " " " S 22 E. 23 " "

Comp.

T. N. 3 N. R. N. 177 2nd Mer. Ind.

	Oak 7 in dia. here. S 57 W 8 lbs dist, to, Oak 7 " " " N 36 E 21 " "
80.00	Set a post from the corner of Jul 25 43. T. 3. N. R. 177 Land 1st rate Hill Timber Walnut, Sugar, Oak, &c.
North	Between Jul 29 43. T. 3. N. R. 177.
28.50	To a Oak 24 in dia. in the line.
40.00	Set a post from which, Oak 8 in dia. here. N 58 E. 13 lbs dist, to, Hick 7 " " " S 57 W 8 " "
80.00	Set a post from the corner of Jul 29. 30. 31 43. from which, Red Oak 10 in dia. here. N 31 W 36 lbs dist, to, Sugar 12 " " " N 34 E 50 " "
	Land 2nd rate timber same as last note.
West	Between Jul 20 42. T. 3. N. R. 177.
40.00	Set a post from which, Oak 12 in dia. here. N 57 E 15 lbs dist, to, Logwood 6 " " " S 7 W 10 " "
80.00	Set a post from the corner of Jul 19. 20. 29 43. Land 1st rate hill; Timber Oak & Oak,
West	Between Jul 19 43. T. 3. N. R. 177.
40.00	Set a post from which, corner marked on a Red Oak 20 in dia.
80.00	Set out the Range line at the corner of Jul 24 43. T. 3. N. R. 177. Land 3rd rate Hill; Timber Cherry, Oak,
North	Between Jul 19 43. T. 3. N. R. 177.
24.00	To a Oak 30 in dia. in the line.
40.00	Set a post from which, Oak 6 in dia. here. N 40 W 20 lbs dist, to, Logwood 8 " " " S 22 E 23 " "

T. No 3 A.R. No 177 and Mr. And.

65.70	Set a N Oak. 20 in dia in the line.
80.00	Set a post for the end of Sec. 17. 18. 19 20 from which, N Oak 30 in dia here. S 57 N 8 the dist. 10, Sticks 10 " " S 5 E 13. " " Lands 2 nd rate Hills Timber Oak, Poplar & Dogwood
41.00	Between Sec 17 & 20. T. 3. A.R. 177.
40.00	Set a post from which, Gum. 12 in dia here. South 28 the dist. 10, Poplar. 6 " " N 57 N 34 " " "
80.00	Set a post for the end of sec. 17. 18. 19 & 20. Lands 3 rd rate Buck. & Oak. Upland.
41.00	Between Sec 18 & 19. T. 3. A.R. 177.
40.00	Set a post from which, N Oak 20 in dia. Lands for the end of sec. 17 & 20.
80.00	Set a post for the end of sec. 17 & 20. Lands 3 rd rate Upland, Hills Timber Oak & Poplar.
41.00	Between Sec 17 & 18. T. 3. A.R. 177.
12.95	Set a N Oak. 15 in dia. Lands in the line.
40.00	Set a post from which, N Oak 12 in dia here. S 57 N 15 the dist. 10, N Oak 10 " " S 45 E 27 " " "
67.40	Set a N Oak 20 in dia in the line.
80.00	Set a post for the end of sec. 17. 18. 19 & 20 from which, Dogwood 12 in dia here. Lands for the end of sec. 17. 18. 19 & 20. Poplar. 10 " " here. S 57 N 13 the dist. Lands 2 nd rate; Timber Oak, Upland.
41.00	Between Sec 18 & 19. T. 3. A.R. 177.
24.50	Between Sec 18 & 19. T. 3. A.R. 177. From Irons line. Buck. 10 in dia here. S 57 N 55 the dist. 10. 20 " " S 57 N 30 " " "

T. No 3 A.R. No 177 and Mr. And.

17.00	Set a post from which, N Oak 20 in dia here. Lands for the end of sec. 17 & 20.
56.70	Set a post from which, N Oak 20 in dia here. Lands for the end of sec. 17 & 20.
40.00	Set a post from which, N Oak 20 in dia here. Lands for the end of sec. 17 & 20.
82.58	Set a post from which, N Oak 20 in dia here. Lands for the end of sec. 17 & 20.
41.29	Set a post from which, N Oak 20 in dia here. Lands for the end of sec. 17 & 20.
82.58	Set a post from which, N Oak 20 in dia here. Lands for the end of sec. 17 & 20.
41.00	Between Sec 17 & 18. T. 3. A.R. 177.
14.55	Set a post from which, N Oak 20 in dia here. Lands for the end of sec. 17 & 20.
40.00	Set a post from which, N Oak 20 in dia here. Lands for the end of sec. 17 & 20.
52.00	Set a post from which, N Oak 20 in dia here. Lands for the end of sec. 17 & 20.
77.00	Set a post from which, N Oak 20 in dia here. Lands for the end of sec. 17 & 20.
80.00	Set a post from which, N Oak 20 in dia here. Lands for the end of sec. 17 & 20.
41.00	Between Sec 17 & 18. T. 3. A.R. 177.
40.00	Set a post from which, N Oak 20 in dia here. Lands for the end of sec. 17 & 20.
52.00	Set a post from which, N Oak 20 in dia here. Lands for the end of sec. 17 & 20.
77.00	Set a post from which, N Oak 20 in dia here. Lands for the end of sec. 17 & 20.
80.00	Set a post from which, N Oak 20 in dia here. Lands for the end of sec. 17 & 20.
41.00	Between Sec 17 & 18. T. 3. A.R. 177.
40.00	Set a post from which, N Oak 20 in dia here. Lands for the end of sec. 17 & 20.

T. A. 3. A. R. A. 1770th Mm. Ind.

80,00	Reg. Oak 20 in dia. here. 68 N. 42 W. dist; Set at the Range line at West Bend 7 at the Post camp on 12th. T. 3. A. R. 1770. Lands 3 rd Rate Buck & Oak Hills.
East 150 40,00 80,00	On a Random line between Sur 578 T. 3. A. R. 1770 To a Rock 100 W. side, Corner S. W. Set a timber pole at Post Set at the A. 15 line 45 W. North of the post camp Sur 4. 5. 819 Lands rolling timbered, Sugar & Poplar.
West 40,00 80,00	On the line between Sur 578 T. 3. A. R. 1770. Set a pole at post on the line line at the an. dist. on the line line from which, Nick 18 in dia. here. N 6. 8 W. dist; an. dist. 100 to a " " 50 N. 18 W. " To the camp on 5. 6. 78.
West 40,00 84,25	Between Sur 617 T. 3. A. R. 1770. Set a pole at post from which, N Oak 20 in dia. here. N 3/4 E. 24 W. dist; 8; Maple 10 " " N 77 N. 6 " " Set at the West Bend 100 W. South of the post camp on 1712 T. 3. A. R. 1770 and set a post from the camp on 617 from which, Oak 20 in dia. here. S 3/4 E. 22 W. dist; 8; Sugar 10 " " N 68 E. 21 " " Lands very brushy.
North 40,00	Between Sur 578 T. 3. A. R. 1770. Set a pole at post from which, Buck 12 in dia. here. N 77 3/4 W. dist; 8; N Oak 19 " " S 30 E. 17 " "

T. A. 3. A. R. A. 1770th Mm. Ind.

80,30 Set at the A. Bend 192 W. West of the post camp
Sur 31 130 T. 4. A. R. 1770 and set a post from the camp
a 5th. from which,
N Oak 15 in dia. here. S 46 E. 21 W. dist; 8;
40. 20 " " " N 78 N. 30 " "
Lands the same.

The part of this Township South of Stramans line
was Surveyed by E. W. Tupper & Aug. Stone
Dep. S. Surveyors.
The part South of Stramans line, in Harrison's Purchase
was Surveyed by
Arthur Harris.
Dep. S. Surveyor.

Comps?

I certify that the foregoing Transcript of the field
notes of Township A. 3. North of Range No. 1 West
of the 2nd Principal Meridian in Indiana has been
Compared with the Original notes in this Office &
found to be correct.
Surveyor General's Office
Cincinnati, Oct. 13. 1841

Surveyor General